

OVERVIEW OF 6-COLOR PRINTERS



24"

imagePROGRAF

iPF6410SE



This 24-inch model is ideal for quick large format printing with excellent print quality and is further equipped with a new 6-ink system including red ink for incredibly vibrant colors in sales posters, discount signs, and retail signage.

SIZE	A1	
PAPER	Plain Paper	Heavy Coated Paper
MODE	Fast	Standard
PRINT SPEED	Approx. 58sec	Approx. 1min 45sec

EASE OF USE		
Roll Paper / Cut Sheets Selection	256MB Memory	130 / 300ml Ink Tank

44"

imagePROGRAF

iPF8410SE



The highly productive 44-inch iPF8410SE model utilizes large capacity ink tanks and a new 6-ink system with red ink to deliver high-quality prints with vivid colors in shop banners, announcements, and POP displays.

SIZE	A0	
PAPER	Plain Paper	Heavy Coated Paper
MODE	Fast	Standard
PRINT SPEED	Approx. 1min 42sec	Approx. 3min 5sec

EASE OF USE		
Roll Paper / Cut Sheets Selection	384MB Memory	330 / 700ml Ink Tank



Vibrant, Eye-Catching Color Quality



On-The-Spot Printing



Posters with Photos and Illustrations



Retail, Service and Educational Printing Needs

6-COLOR SERIES FEATURES

6-COLOR LUCIA EX INK SET

Canon's 6-Color LUCIA EX ink system is formulated for vibrant point-of-purchase materials and retail signage that are eye-catching. A new **red** ink is added to the existing C, M, Y, BK and MBK colors, for expanded color gamut in the yellow-red regions. LUCIA EX pigment inks are colorfast, fade-resistant and compatible with a wide range of print media including fabric banners or cloth.



HIGH-QUALITY PRINTS AT LOW COSTS

The 6-Color series large format printers meet the needs of business owners and service providers looking for a low cost yet high-resolution pigment ink model that provides on-the-spot printing with broad media support.



FAST MODE PRINTING

In Fast Mode, these 6-Color SE models only take about one minute to print out one A1/D-sized poster on coated paper. This quick turnaround time is ideal for retail stores or businesses that often produce point-of-purchase sales materials, posters or banners.

LARGE-CAPACITY INK TANKS

The 24-inch iPF6410SE model is equipped with either options of 130ml or 300ml ink tanks, while the 44-inch iPF8410SE model comes with either 330ml or 700ml ink tanks. The 6-Color SE models also consume less ink as the printers do not use light density inks. Both come with sub ink tanks which reduce downtime by enabling ink replacement during printing.

OPTIMIZED FOR POSTER CREATION

Both 6-Color SE models come with ample software for poster creation. The printers include PosterArtist Lite which enables users to easily produce high-grade posters without the need for any specialized design skills.

In addition, the wizard-based Print Plug-In for Office enables easy large format printing from familiar Word or PowerPoint environments.



SPECIFICATION 6-COLOR PRINTER

		ipF6410SE (24") NEW	ipF8410SE (44") NEW
INK TYPE		Pigment inks ; LUCIA EX ; 6 colors: BK/MBK/C/M/Y/R	Pigment inks ; LUCIA EX ; 6 colors: BK/MBK/C/M/Y/R
INK TANK CAPACITY		130ml / 300ml	330ml / 700ml
MAXIMUM PRINT RESOLUTION		2400 x 1200dpi	2400 x 1200dpi
DIMENSIONS (WxDxH) (mm), WEIGHT (kg) (Net)			
Main unit with a basket & Printer Stand		1017 (W) x 870 (D) x 991 (H) mm; approx. 54kg	1,893 (W) x 971 (D) x 1,144 (H) mm; approx. 117kg
Main Unit with Pallet		1,180 (W) x 916 (D) x 645 (H) mm; Weight: approx. 74 kg	2,080 (W) x 1,060 (D) x 840 (H) mm; Weight: approx. 185 kg
POWER SUPPLY			
Input Power		AC 100 - 240V (50 - 60 Hz)	AC 100 - 240V (50 - 60 Hz)
Power Consumption		Operation: 100W or less	Operation: 190W or less
Standby Power Consumption		5W or less	5W or less
Power Off (Standby)		0.5W or less	0.5W or less
OPERATIONAL ENVIRONMENT		Temperature: 15 - 30°C Humidity: 10 - 80% (Condensation-free)	Temperature: 15 - 30°C Humidity: 10 - 80% (Condensation-free)
ACOUSTIC NOISE			
Acoustic Pressure		Operation: Approx. 49dB (A) or less Standby: 35dB (A) or less	Operation: Approx. 50dB (A) or less Standby: 35dB (A) or less
Acoustic Power		Operation: Approx. 6.4 Bels or less	Operation: Approx. 6.8 Bels or less
STANDARD MEMORY		256MB	384MB
INTERFACE			
Built-in		USB 2.0 HI SPEED10BASE-T, 100BASE-TX	USB 2.0 HI SPEED10BASE-T, 100BASE-TX
Expansion Slot		None	None
MEDIA HANDLING			
Media Feed and Output	Roll Paper Cut Sheet	1 Roll, Top loading, Front output Top loading, Front output Manual Feed: 1 sheet	1 Roll, Top loading, Front output Front loading, Front output Manual Feed: 1 sheet
Media Thickness	Roll Paper Cut Sheet	0.07 - 0.8 mm	0.07 - 0.8 mm
Maximum Roll Outer Diameter		150 mm	150 mm
Media Core Size		Internal diameter of roll core: 2" / 3"	Internal diameter of roll core: 2" / 3"
Media Width	Roll Paper Cut Sheet	203.2 - 610mm Manual Feed (Top): 203.2 - 610mm	254 - 1,117.6mm Manual Feed (Top): 203.2 - 1,117.6mm
Maximum Printable Length	Roll Paper Cut Sheet	18m 1.6m	18m 1.6m
Printable Margins	Roll Paper Roll Paper (Borderless Print)	All sides: 3mm All sides: 0mm Manual feed from top All sides: 3mm	All sides: 5mm All sides: 0mm Cut Sheet Bottom: 23mm, Others: 5mm
IMAGE <i>*All dimensions not drawn to scale</i>			

Canon

Delighting You Always

**SOUTH & SOUTHEAST ASIA
REGIONAL HEADQUARTERS
CANON SINGAPORE PTE. LTD.**

1 HarbourFront Avenue
#04-01 Keppel Bay Tower,
Singapore 098632

Tel: 65-6799-8888
Fax: 65-6799-8882

www.canon-asia.com
www.canon.com.sg

**CANON SALES SUBSIDIARIES
& BUSINESS PARTNERS**

BANGLADESH

J.A.N. Associates Ltd
House 25, Road 5
Dharamondi R/A
Dhaka-1205, Bangladesh
Tel : 880-2-8611444
Fax : 880-2-8610410

BRUNEI

Interhouse Company
No. 5-7 Bunut Jaya Complex
Spg 574 Jalan Tutong BF1320
P.O. Box 423, Seri Complex
Bandar Seri Begawan BA 1779
Brunei Darussalam
Tel : 673-2-653001
Fax : 673-2-653003

CAMBODIA

Royal Cambodia Co., Ltd
#437 Preah Monivong Blvd
Phnom Penh
Kingdom of Cambodia
Tel : 855-23-428955
Fax : 855-23-722961

HONG KONG

Canon Hongkong Co.Ltd
19F, The Metropolis Tower
10 Metropolis Drive
Hungghom, Hong Kong
Tel : 825-3191-2388
Fax : 825-2369-3800

INDIA

Canon India Pvt. Ltd
7th Floor, Tower B
DLF Cyber Terraces
DLF Phase-3
Gurgaon — 122002 Haryana, India
Tel : 91-124-4160000
Fax : 91-124-4160011

INDONESIA

PT Datascrip
Kawasan Niaga Selatan Blok B-15
Bandar Kemayoran, Jakarta 10610
Indonesia
Tel : 62-21-6544515
Fax : 62-21-6544811 to 13

MALAYSIA

Canon Marketing
(Malaysia) Sdn. Bhd.
Block D, Peremba Square
Saujana Resort Section U2
40150 Shah Alam
Selangor Darul Ehsan, Malaysia
Tel : 60-3-78446000 / 78450055
Fax : 60-3-78446196 / 6198

MALDIVES

SIMDI Company Pvt. Ltd.
G. Faith, Majeedhee Magu
Male' 20-129
Republic of Maldives
Tel : 960-3334421
Fax : 960-3334424

MYANMAR

Myanmar Golden Rock
International Co., Ltd.
Level 6, FJV Commercial Center
No: 422-426, Strand Road
Botataung Township
Yangon, Myanmar
Tel : 95-1-202092 to 96
Fax : 95-1-202079

NEPAL

International Electronics
Concern (P) Ltd
Kha 14, 1st Floor
Haratibhawan Putalisadak
Ramshah Path, Kathmandu
Nepal P.O. Box 12588
Tel : 977-1-4421991
Fax : 977-1-4421909

PAKISTAN

Shirazi Trading Company (Pvt.) Ltd
8th Floor, Adamjee House
I.I. Chundrigar Road
Karachi 74000 Pakistan
Tel : 92-21-3241 (7659), (7737) or (7746)
Fax : 92-21-(32417747), (32420417) or (32420418)

PHILIPPINES

Canon Marketing (Philippines), Inc.
Ground Floor Commerce and Industry Plaza
Campus Ave. Cor. Park Ave., McKinley Hill
Fort Bonifacio, Taguig City
Tel : 632-884-9000
Fax : 632-556-1456

SRI LANKA

Metropolitan Computers (Pvt.) Ltd
85, Braybrook Place
Colombo 2
Sri Lanka
Tel : 94-11-2437797
Fax : 94-11-2448980

THAILAND

Canon Marketing (Thailand) Co., Ltd.
No.98 Sathorn Square Office Tower
21st to 24th Floor, North Sathorn Road
Silom, Bangrak, Bangkok 10500
Tel : 66-2-3449988
Fax : 66-2-3449861

VIETNAM

Canon Marketing Vietnam Company Ltd.
Unit 6, 6th Floor, Saigon Centre
65 Le Loi, District 1, Ho Chi Minh City Vietnam
Tel : (84-8) 38200 466
Fax : (84-8) 38200 477

Hanoi Representative Office
11 Floor, CharmVit Tower
117 Tran Duy Dung, Hanoi
Vietnam
Tel : (84-4) 37711 677
Fax : (84-4) 37711 678

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document.

Option names and availability may vary by region. PostScript and PostScript3 are trademarks of Adobe Systems Incorporated, registered in certain jurisdictions. Microsoft and Windows are registered trademarks of Microsoft Corporation in the United States and other countries. Other names may be trademarks of their respective owners.