

3LCD PROJECTOR



The Garden & Spa Renovation Plan

**An Open Ambiance
for the Latest in Relaxation**

Professional
Epson's 3LCD projectors are the latest in relaxation, offering a professional quality of image and a wide range of features to meet your needs.

Wide Viewing Angles
Epson's 3LCD projectors offer a wide viewing angle, allowing you to see the image from a variety of angles. This is ideal for large rooms and outdoor spaces.



3LCD PROJECTOR


MENGAPA MEMILIH 3LCD PROJECTOR ?

Projektor Epson 3LCD menghadirkan warna-warna menakjubkan dengan tingkat kecerahan yang seimbang, realistis, dan hasil gambar yang lebih hidup. Tidak heran jika proyektor Epson adalah pilihan utama masyarakat.

EPSON 3LCD TECHNOLOGY UNTUK WARNA CERAH & LEBIH NYATA

3LCD projectors offer brighter and more accurate as they produce different shades and hues by filtering, then mixing beams of the three primary colours (red, green and blue).

In a 3LCD projector, white light is first split into the three beams of primary colours. Each beam is then filtered through its own LCD that will give each individual pixel of the image its exact brightness for each colour. The colour beams are then perfectly recombined in a prism before being projected out as a complete image.



BUSINESS & HOME PROJECTORS GUIDE



Large Venue Range



Interactive Range

Portable Range

Business Range



Home Entertainment Range

Digital Signage



The complete projection solution for all your needs.

*Leading Epson business and education projectors vs. leading 1-chip DLP® projectors, selected according to NPD data as of July 2015. Based on U.S. research conducted by Radius Research.

3LCD PROJECTOR

Small Sized Rooms

EB-E01



Brightness 3,300 lm	Resolution XGA	Contrast 15,000:1
Light Source Life 6,000/12,000 hrs	Keystone ±30° (V) / ±30° (H)	Connectivity USB Type-B x 1, VGA x 1, HDMI x 1
Network N/A	Power Consumption 327W / 225W	Weight 2.4 kg



12,000 Hours
Lamp Life in Eco Mode



Split Screen

EB-X06



Brightness 3,600 lm	Resolution XGA	Contrast 16,000:1
Light Source Life 6,000/12,000 hrs	Keystone ±30° (V) / ±30° (H)	Connectivity USB Type-B x 1, VGA x 1, HDMI x 1
Network Optional (ELPAP11)	Power Consumption 327W / 225W	Weight 2.5 kg



12,000 Hours
Lamp Life in Eco Mode



Split Screen



Auto Vertical
Keystone



Horizontal
Keystone Adjuster



Wireless
iProjection

3LCD PROJECTOR

Small Sized Rooms

3LCD PROJECTOR

EB-E10



12,000 Hours
Lamp Life in Eco Mode



Split Screen

Brightness 3,600 lm	Resolution XGA	Contrast 15,000:1
Light Source Life 6,000/12,000 hrs	Keystone $\pm 30^\circ$ (V) / $\pm 30^\circ$ (H)	Connectivity USB Type-B x 1, VGA x 1, HDMI x 1
Network N/A	Power Consumption 327W / 225W	Weight 2.4 kg

EB-E500



12,000 Hours
Lamp Life in Eco Mode



Split Screen

Brightness 3,300 lm	Resolution XGA	Contrast 15,000:1
Light Source Life 6,000/12,000 hrs	Keystone $\pm 30^\circ$ (V) / $\pm 30^\circ$ (H)	Connectivity USB Type-B x 1, VGA x 1, HDMI x 1
Network N/A	Power Consumption 327W / 225W	Weight 2.4 kg

3LCD PROJECTOR

EB-X500

X500 untuk Indonesia



Brightness 3,600 lm	Resolution XGA	Contrast 16,000:1
Light Source Life 6,000/12,000 hrs	Keystone ±30° (V) / ±30° (H)	Connectivity USB Type-A & Bx1 VGA x1, HDMI x1,
Network Optional (ELPAP11)	Power Consumption 327W / 225W	Weight 2.5 kg



12,000 Hours
Lamp Life in Eco Mode



Split Screen



Auto Vertical
Keystone



Horizontal Keystone
Adjuster*



Wireless
iProjection

EB-X51



Brightness 3,800 lm	Resolution XGA	Contrast 16,000:1
Light Source Life 6,000/12,000 hrs	Keystone ±30° (V) / ±30° (H)	Connectivity HDMI in x1, VGA in x1 RCA x1, 2RCA x1 USB Type-A & Bx1
Network Optional (ELPAP11)	Power Consumption 327W / 225W	Weight 2.5 kg



12,000 Hours
Lamp Life in Eco Mode



Split Screen



Auto Vertical
Keystone



Horizontal Keystone
Adjuster*



Wireless
iProjection

3LCD PROJECTOR

Small Sized Rooms

EB-W06



Brightness 3,700 lm	Resolution WXGA	Contrast 16,000:1
Light Source Life 6,000/12,000 hrs	Keystone ±30° (V) / ±30° (H)	Connectivity HDMI in x1, VGA in x1 RCA x1, 2RCA x1 USB Type-A & Bx1
Network Optional (ELPAP11)	Power Consumption 327W / 225W	Weight 2.5 kg



12,000 Hours
Lamp Life in Eco Mode



Split Screen



Auto Vertical
Keystone



Horizontal Keystone
Adjuster*



Wireless
iProjection

EB-W51



Brightness 4,000 lm	Resolution WXGA	Contrast 16,000:1
Light Source Life 6,000/12,000 hrs	Keystone ±30° (V) / ±30° (H)	Connectivity HDMI in x1, VGA in x1 RCA x1, 2RCA x1 USB Type-A & Bx1
Network Optional (ELPAP11)	Power Consumption 327W / 225W	Weight 2.5 kg



12,000 Hours
Lamp Life in Eco Mode



Split Screen



Auto Vertical
Keystone



Horizontal Keystone
Adjuster*



Wireless
iProjection

3LCD PROJECTOR

EB-FH52



Brightness 4,000 lm	Resolution 1080p	Contrast 16,000:1
Light Source Life 5,500/12,000 hrs	Keystone ±30° (V) / ±30° (H)	Connectivity HDMI in x2, VGA in x1 RCA x1, 2RCA x1 USB Type-A & Bx1
Network Built-in Support Screen Mirroring	Power Consumption 327W / 225W	Weight 3.1 kg



12,000 Hours
Lamp Life in Eco Mode



Split Screen




Auto Vertical
Keystone



Horizontal Keystone
Slider



Wireless iProjection
/ Screen Mirroring



Full HD
Resolution

EB-972



Brightness 4,100 lm	Resolution XGA	Contrast 16,000:1
Light Source Life 6,500/17,000 hrs	Keystone ±30° (V) / ±30° (H)	Connectivity HDMI in x2, VGA in x1, VGA out x1, RCA in x1, 2RCA x1 Stereo Mini Jack in x2 Stereo Mini Jack out x1 USB Type-A & Bx1
Network Optional (ELPAP11)	Power Consumption 327W / 225W	Weight 3.1 kg



12,000 Hours
Lamp Life in Eco Mode



Split Screen



Auto Vertical
Keystone



Horizontal Keystone
Slider



Wireless
iProjection

3LCD PROJECTOR

Small Sized Rooms

EB-982W



Brightness 4,200 lm	Resolution WXGA	Contrast 16,000:1
Light Source Life 6,500/17,000 hrs	Keystone ±30° (V) / ±30° (H)	Connectivity HDMI in x2, VGA in x1, VGA out x1, RCA in x1, 2RCA x1 Stereo Mini Jack in x2 Stereo Mini Jack out x1 USB Type-A & Bx1
Network Optional (ELPAP11)	Power Consumption 327W / 225W	Weight 3.1 kg



12,000 Hours
Lamp Life in Eco Mode



Split Screen



Auto Vertical
Keystone



Horizontal Keystone
Slider



Wireless
iProjection

EB-L200X



Brightness 4,200 lm	Resolution XGA	Contrast > 2,500,000:1
Laser Light Source 20,000 hrs	Keystone ±30° (V) / ±30° (H)	Connectivity HDMI in x2, VGA in x1, VGA out x1 RCA in x1, RS-232C x1 USB Type-A & Bx1
Network Built-in Support screen mirroring	Power Consumption 254W / 193W	Weight 4.1 kg



20,000
Light Hours



Split Screen



Wireless
Projection



Screen
Mirroring

3LCD PROJECTOR

EB-L200W



Brightness 4,200 lm	Resolution WXGA	Contrast > 2,500,000:1
Laser Light Source 20,000 hrs	Keystone ±30° (V) / ±30° (H)	Connectivity HDMI in x2, VGA in x2, VGA out x1 RCA in x1, RS-232C x1 USB Type-A & Bx1
Network Built-in Support screen mirroring	Power Consumption 254W / 193W	Weight 4.1 kg



20,000
Light Hours



Split Screen



Wireless
Projection



Screen
Mirroring

Short Throw Projectors

EB-L200F



Brightness 4,500 lm	Resolution Full HD	Contrast > 2,500,000:1
Laser Light Source 20,000 hrs	Keystone ±30° (V) / ±30° (H)	Connectivity HDMI in x2, VGA in x2, VGA out x1 RCA in x1, RS-232C x1 USB Type-A & Bx1
Network Built-in Support screen mirroring	Power Consumption 254W / 193W	Weight 4.1 kg



20,000
Light Hours



Split Screen



Wireless
Projection



Screen
Mirroring

3LCD PROJECTOR

Ultra Portable Projectors

3LCD PROJECTOR

EB-1785W Gesture Presenter



Brightness 3,200lm	Resolution WXGA	Contrast 10,000:1
Light Source Life 4,000 / 7,000 hrs	Keystone ±45°(V) / ±30°(H)	Connectivity VGA in x1, HDMI in x1 (Support MHL) Stereo Mini Jack in x1 USB Type-A & Bx1
Network Built-in Support Screen Mirroring	Power Consumption 295W / 208W	Weight 1.81 kg



Gesture
Presenter



NFC



Wireless
Projection



Real-Time Auto V/H
Keystone Correction



Split Screen



reddot design award



EB-1795F Gesture Presenter

Brightness 3,200lm	Resolution 1080p	Contrast 10,000:1
Light Source Life 4,000 / 7,000 hrs	Keystone ±45°(V) / ±30°(H)	Connectivity HDMI in x1 (Support MHL) VGA in x1, RCA x1 Stereo Mini Jack in x1 USB Type-A & Bx1
Network Built-in Support Screen Mirroring	Power Consumption 295W / 208W	Weight 1.83 kg



Gesture
Presenter



NFC



Wireless
Projection



Real-Time Auto V/H
Keystone Correction



Split Screen



Full HD

3LCD PROJECTOR

Mid Size Rooms Projectors

3LCD PROJECTOR

EB-2265U Gesture Presenter



Brightness 5,500lm	Resolution WUXGA	Contrast 15,000:1
Light Source Life 5,000 / 10,000 hrs	Keystone $\pm 30^\circ(V) / \pm 30^\circ(H)$	Connectivity HDBaset x1, HDMI in x2 [1 Support MHL] VGA in x2, VGA out x1 Stereo Mini Jack in x2 Stereo Mini Jack out x1 2RCA x1, RCA x1, RS-232C x1, RJ45 x1 USB Type-A & Bx1
Network Optional (ELPAP10)	Power Consumption 425W / 323W	Weight 4.7 kg



Gesture
Presenter



Multi-PC
Projection



Wireless
Projection



Split Screen

EB-2155W



Brightness 5,000lm	Resolution WXGA	Contrast 15,000:1
Light Source Life 5,000 / 10,000 hrs	Keystone $\pm 30^\circ(V) / \pm 30^\circ(H)$	Connectivity HDMI in x2 [1 Support MHL] VGA in x2, VGA out x1 Stereo Mini Jack in x2 Stereo Mini Jack out x1 2RCA x1, RCA x1, RS-232C x1, RJ45 x1 USB Type-A & Bx1
Network Optional (ELPAP10)	Power Consumption 405W / 323W	Weight 4.3 kg



Gesture
Presenter



Multi-PC
Projection



Wireless
Projection



Split Screen

3LCD PROJECTOR

Ultra Portable Projectors

3LCD PROJECTOR

EB-2065



Brightness 5,500lm	Resolution XGA	Contrast 15,000:1
Light Source Life 5,000 / 10,000 hrs	Keystone $\pm 30^\circ(V) / \pm 30^\circ(H)$	Connectivity HDMI in x2 (1 Support MHL) VGA in x2, VGA out x1 2RCA x1, RCA x1, RS-232C x1, RJ45 x1 Stereo Mini Jack in x2 Stereo Mini Jack out x1 USB Type-A & Bx1
Network Optional (ELPAP10)	Power Consumption 425W / 323W	Weight 4.4 kg



Gesture
Presenter



Multi-PC
Projection



Wireless
Projection



Split Screen


EB-L510U



Brightness 5,000lm	Resolution WUXGA (1920 x 1200)	Contrast over 2,500,000 : 1
Light Source Life 20,000 hours	Keystone $\pm 30^\circ(V) / \pm 30^\circ(H)$	Connectivity D-Sub 15Pin IN x 2, HDMI In x 2, HDbaseT RJ45 In x 1, D-Sub 15Pin Out x 1, Stereo Mini Jack In x 2, Stereo Mini Jack Out x 1, USB Type A x 1, USB Type B x 1, RS-232C D-Sub 9Pin x 1, Wired Lan RJ45 x 1,
Network Optional (ELPAP10)	Power Consumption 322W / 244W	Weight Approx 8.5 Kg



Split Screen



Flexible
360 degree
installation

3LCD PROJECTOR

Mid Size Rooms Projectors



EB-L630U/EB-L730U



Wireless Projection



Flexible 360 degree installation



WUXGA Resolution



Edge Blending Technology

EB-L630U

Brightness 6,200 lm	Resolution WUXGA (16:10)	Contrast over 2,500,000 : 1
Light Source Life 20,000 hours	Keystone ±30°(V) / ±30°(H)	Connectivity D-Sub 15Pin IN x 2, HDMI In x 2, HDbaseT RJ45 In x 1, D-Sub 15Pin Out x 1, Stereo Mini Jack In x 2, Stereo Mini Jack Out x 1, USB Type A x 1, USB Type B x 1, RS-232C D-Sub 15Pin x 1, Wired Lan RJ45 x 1, HDMI Out x1
Network Built-In	Power Consumption 345W / 258W	Weight Approx 8.4 Kg

EB-L730U

Brightness 7,000 lm	Resolution WUXGA (16:10)	Contrast over 2,500,000 : 1
Light Source Life 20,000 hours	Keystone ±30°(V) / ±30°(H)	Connectivity D-Sub 15Pin IN x 2, HDMI In x 2, HDbaseT RJ45 In x 1, D-Sub 15Pin Out x 1, Stereo Mini Jack In x 2, Stereo Mini Jack Out x 1, USB Type A x 1, USB Type B x 1, RS-232C D-Sub 15Pin x 1, Wired Lan RJ45 x 1, HDMI Out x1
Network Built-In	Power Consumption 345W / 258W	Weight Approx 8.4 Kg

EB-L200SX



Brightness 3,600 lm	Resolution XGA	Contrast > 2,500,000:1
Laser Light Source 20,000 hrs	Keystone ±15° (V) / ±15° (H)	Connectivity HDMI in x2 (HDCP 2.2) VGA in x2, VGA out x1 RCA x1, 2RCA x1 RS-232C x1, RJ45 x1 Stereo Mini Jack out x1 Stereo Mini Jack in x2 USB Type-A & Bx1 Microphone x1
Network Built-in Support Screen Mirroring	Power Consumption 254W / 193W	Weight 4.5 kg



Short Throw



20,000 Light Hours



Wi-Fi Connection



Multi-PC Projection

3LCD PROJECTOR

Short Throw Projectors



EB-L200SW

Brightness 3,800 lm	Resolution WXGA	Contrast > 2,500,000:1
Laser Light Source 20,000 hrs	Keystone ±15° (V) / ±15° (H)	Connectivity HDMI in x2 (HDCP 2.2) VGA in x2, VGA out x1 RCA x1, 2RCA x1 RS-232C x1, RJ45 x1 Stereo Mini Jack out x1 Stereo Mini Jack in x2 USB Type-A & Bx1 Microphone x1
Network Built-in Support Screen Mirroring	Power Consumption 254W / 193W	Weight 4.5 kg



Short Throw



20,000
Light Hours



Wi-Fi
Connection



Multi-PC
Projection

Short Throw Interactive Projectors



EB-536Wi

Brightness 3,400 lm	Resolution WXGA	Contrast 16,000:1
Light Source Life 5,000/10,000 hrs	Keystone ±15° (V) / ±15° (H)	Connectivity HDMI in x1, S-Video x1 VGA in x2, VGA out x1 RCA x1, 2RCA x1 RS-232C x1, RJ45 x1 Stereo Mini Jack out x1 Stereo Mini Jack in x2 Interactive Sync x1 USB Type-A & Bx1 Microphone x1
Network Optional (ELPAP10)	Power Consumption 298W / 221W	Weight 3.9 kg



Short Throw



10,000 Hours
Lamp Life in Eco Mode



Wi-Fi
Connection



Horizontal Keystone
Adjuster



Multi-PC
Projection



Dual Interactive
Pens *

* Interactive Pen hanya diprovide 1 pada paket pembelian

3LCD PROJECTOR

Short Throw Laser Projectors

EB-530



Brightness 3,200 lm	Resolution XGA	Contrast 16,000:1
Light Source Life 5,000/10,000 hrs	Keystone ±15° (V) / ±15° (H)	Connectivity HDMI in x1, S-Video x1 VGA in x2, VGA out x1 RCA x1, 2RCA x1 RS-232C x1, RJ45 x1 Stereo Mini Jack out x1 Stereo Mini Jack in x2 USB Type-A & Bx1 Microphone x1
Network Optional (ELPAP10)	Power Consumption 298W / 221W	Weight 3.7 kg



Short Throw



10,000 Hours
Lamp Life in Eco Mode



Wi-Fi
Connection



Horizontal Keystone
Adjuster




Multi-PC
Projection

EB-535W



Brightness 3,400 lm	Resolution WXGA	Contrast 16,000:1
Light Source Life 5,000/10,000 hrs	Keystone ±15° (V) / ±15° (H)	Connectivity HDMI in x1, S-Video x1 VGA in x2, VGA out x1 RCA x1, 2RCA x1 RS-232C x1, RJ45 x1 Stereo Mini Jack out x1 Stereo Mini Jack in x2 USB Type-A & Bx1 Microphone x1
Network Optional (ELPAP10)	Power Consumption 298W / 221W	Weight 3.7 kg



Short Throw



10,000 Hours
Lamp Life in Eco Mode



Wi-Fi
Connection



Horizontal Keystone
Adjuster



Multi-PC
Projection

3LCD PROJECTOR

Lighting Scene

EB-W50



Brightness 3,800 lm	Resolution WXGA (1280 x 800)	Contrast 16,000:1
Light Source Life 10,000 hours (Normal), 17,000 hours (Eco)	Keystone ±30° (V) / ±30° (H)	Connectivity D-Sub 15 Pin In x 2, HDMI In x 2, D-Sub 15Pin Out x 1, Stereo Mini Jack In x 2, Stereo Mini Jack Out x 1, USB Type A x 1, USB Type B x 1, RS-232C D-Sub 9pin x 1, Wired LAN RJ45 x 1
Network Wireless ELPAP10 (Optional)	Power Consumption 285 W / 218 W	Weight 3.1 kg



17,000 Hours Lamp Life in Eco Mode



Split Screen



Auto Vertical Keystone



Dust Resistance Design



USB Direct Playback

EB-U50



Brightness 3,700 lm	Resolution WUXGA	Contrast 16,000:1
Light Source Life 10,000/17,000 hrs	Keystone ±30° (V) / ±30° (H)	Connectivity HDMI in x2, VGA in x2 VGA out x1, RJ45 x1 Stereo Mini Jack in x2 Stereo Mini Jack out x1 USB Type-A & B x1
Network Built-in	Power Consumption 285W / 218W	Weight 3.1 kg



17,000 Hours Lamp Life in Eco Mode



Split Screen



Auto Vertical Keystone



Dust Resistance Design



USB Direct Playback

3LCD PROJECTOR

EV-110/EV-115



EV-110 (White)

EV-115 (Black)

Brightness 2,200lm	Resolution WXGA	Contrast >2,500,000:1
Laser Light Source 20,000 hrs	Keystone ±45°(V) / ±40°(H)	Connectivity HDMI in x1 SD Card x1, RJ45 x1 Stereo Mini Jack out x1 USB Type-A & Bx1
Network Built-in	Power Consumption 149W / 112W	Weight 6.9 kg (Exclude Direct Mount)



Flexible Installation



Steek Spotlight Design

EB-800F / 805F



Brightness 5,000 lm	Resolution 1080p	Contrast over 2,500,000 : 1
Light Source Life 20,000 hours (Normal), 30,000 hours (Extended)	Keystone ±3° (V) / ±3° (H)	Connectivity D-Sub 15Pin In x 2, Composite In RCA x 1 (Yellow), HDMI In x 3 (HDCP2.3), HDBaseT x 1 (HDCP2.3), D-Sub 15Pin Out x 1, HDMI Out x 1, Stereo Mini Jack In x 3, Stereo Mini Jack Out x 1, Rs-232C D-Sub 9Pin x 1, USB Type A x 2, USB Type B x 1, Wired Lan RJ45 x 1
Network Wireless Lan x 1 USB Type A	Power Consumption 366 W / 262 W	Weight Approx 9.4 Kg



Full HD Resolution



Ultra short-throw
130 inch @80,3 cm



Multi-PC Projection



PC free USB memory

3LCD PROJECTOR

Ultra Short Throw Lamp Projectors

EB-685W



Brightness 3,500 lm	Resolution WXGA	Contrast 14,000:1
Light Source Life 5,000/10,000 hrs	Keystone ±3° (V) / ±3° (H)	Connectivity HDMI in x3, RCA x1 VGA in x2, VGA out x1 RS-232C x1, RJ45 x1 Stereo Mini Jack out x1 Stereo Mini Jack in x3 USB Type-A & Bx1 Microphone x1
Network Optional (ELPAP10)	Power Consumption 354W / 309W	Weight 5.7 kg



Ultra-Short
Throw



10,000 Hours
Lamp Life in Eco Mode



Multi-PC
Projection

Laser Ultra Short Throw Projectors

EB-725W



Brightness 4,000 lm	Resolution WXGA	Contrast >2,500,000:1
Laser Light Source 20,000 hrs	Keystone ±3° (V) / ±3° (H)	Connectivity HDMI in x3 VGA in x2, VGA out x1 (Shared with Computer 2) RCA x1, RS-232C x1 USB Type-A & Bx1
Network Built-in Support screen mirroring	Power Consumption 255W / 197W	Weight 5.7 kg



Ultra-Short
Throw



20,000 Light
Hours



Wireless
Connection



Multi-PC
Projection


3LCD PROJECTOR

Ultra Short Throw Lamp Projectors

EB-735F



Brightness 3,600lm	Resolution Full HD	Contrast >2,500,000:1
Laser Light Source 20,000 hrs	Keystone ±3°(V) / ±3°(H)	Connectivity HDMI in x3 VGA in x2, VGA out x1 (Shared with Computer 2) RCA x1, RS-232C x1 USB Type-A & Bx1
Network Built-in Support Screen Mirroring	Power Consumption 255W / 197W	Weight 5.7 kg



Ultra-Short
Throw




20,000 Light
Hours



Wireless
Connection



Multi-PC
Projection



Full HD

Ultra Short Throw Interactive Projectors

EB-685Wi



Brightness 3,500 lm	Resolution WXGA	Contrast 14,000:1
Light Source Life 5,000/10,000 hrs	Keystone ±3° (V) / ±3° (H)	Connectivity HDMI in x3, RCA x1 VGA in x2, VGA out x1 RS-232C x1, RJ45 x1 Stereo Mini Jack out x1 Stereo Mini Jack in x3 Interactive Sync x1 USB Type-A & Bx1 Microphone x1
Network Optional (ELPAP10)	Power Consumption 354W / 309W	Weight 5.8 kg



Ultra-Short
Throw



10,000 Hours
Lamp Life in Eco Mode



Interactive Pen
Retouch



Multi-PC
Projection

3LCD PROJECTOR

Ultra Short Throw Lamp Projectors



EB-695Wi Touch Interactive

Brightness 3,500 lm	Resolution WXGA	Contrast 14,000:1
Light Source Life 5,000/10,000 hrs	Keystone ±3° (V) / ±3° (H)	Connectivity HDMI in x3, RCA x1 VGA in x2, VGA out x1 RS-232C x1, RJ45 x1 Stereo Mini Jack out x1 Stereo Mini Jack in x3 Interactive Sync x1 USB Type-A & Bx1 Microphone x1
Network Optional (ELPAP10)	Power Consumption 354W / 309W	Weight 5.8 kg



Ultra-Short
Throw



10,000 Hours
Lamp Life in Eco Mode



Finger Touch
Interactive



Multi-PC
Projection

Laser Ultra Short Throw Projectors



EB-725Wi Touch Interactive

Brightness 4,000lm	Resolution WXGA	Contrast >2,500,000:1
Laser Light Source 20,000 hrs	Keystone ±3°(V) / ±3°(H)	Connectivity HDMI in x3 VGA in x2, VGA out x1 (Shared with Computer 2) RCA x1, RS-232C x1 Stereo Interactive Sync x1 USB Type-A & Bx1
Network Built-in Support Screen Mirroring	Power Consumption 255W / 197W	Weight 5.8 kg



Ultra-Short
Throw



20,000 Light
Hours



Wireless
Connection



Multi-PC
Projection



Optional Finger
Touch Interactive

3LCD PROJECTOR

EB-735Fi Touch Interactive



Brightness 3,600lm	Resolution Full HD	Contrast >2,500,000:1
Laser Light Source 20,000 hrs	Keystone $\pm 3^\circ(V) / \pm 3^\circ(H)$	Connectivity HDMI in x3 VGA in x2, VGA out x1 (Shared with Computer 2) RCA x1, RS-232C x1 Stereo Interactive Sync x1 USB Type-A & Bx1
Network Built-in Support Screen Mirroring	Power Consumption 255W / 197W	Weight 5.8 kg



Ultra-Short
Throw



20,000 Light
Hours




Wireless
Connection



Multi-PC
Projection



Finger Touch
Interactive



Full HD

EB-1485Fi Touch Interactive



Brightness 5,000lm	Resolution 1080p	Contrast >2,500,000:1
Laser Light Source 20,000 hrs	Keystone $\pm 3^\circ(V) / \pm 3^\circ(H)$	Connectivity HDMI in x3 (HDCP2.3) HDBaseT x1 (HDCP2.3) HDMI out x1, RJ45 x1 VGA in x2, VGA out x1 Stereo Mini Jack in x3 Stereo Mini Jack out x1 RCA x1, RS-232C x1 Interactive Sync x1 Microphone x1, USB Type-A & Bx1
Network Built-in Support Screen Mirroring	Power Consumption 366W / 262W	Weight 9.3 kg



Ultra-Short
Throw



20,000 Light
Hours



Wireless
Connection



Multi-PC
Projection



Finger Touch
Interactive



Full HD

3LCD PROJECTOR

Large Venues

EB-PU1006W/ EB-PU1007W



Brightness 6,000 lm (PU1006W) 7,000 lm (PU1007W)	Resolution WUXGA	Contrast >2,500,000:1
Laser Source Life 20,000 hrs	Keystone ±45°(V) / ±30°(H)	Connectivity D-Sub 15Pin in x1, HDMI in x1, DVI-D in x1, HDBaseT, USB Type A x2 USB Type B x1, RS-232C x1, Stereo Mini Out x1, RJ45
Network Wireless Optional (ELPAP11)	Power Consumption 367W (PU1006W) 431W (PU1007W)	Weight 15.4 kg (PU1006W) 16.3 kg (PU1007W)



HDBaseT



Edge
Blending



Flexible
Installation

EB-PU1008B/ EB-PU2010B



Brightness 8,500 lm (PU1008B) 10,000 lm (PU2010B)	Resolution WUXGA	Contrast >2,500,000:1
Laser Source Life 20,000 hrs	Keystone ±45°(V) / ±30°(H)	Connectivity D-Sub 15Pin in x1, HDMI in x1, DVI-D in x1, HDBaseT, USB Type A x2 USB Type B x1, RS-232C x1, Stereo Mini Out x1, RJ45, SDI x1 (for PU2010B)
Network Wireless Optional (ELPAP11)	Power Consumption 535W	Weight 16.3 kg (PU1008B) 16.8 kg (PU2010B)



HDBaseT



Edge
Blending



Flexible
Installation

3LCD PROJECTOR

EB-L1505UHNL



Brightness 12,000lm	Resolution WUXGA	Contrast >2,500,000:1
Laser Source Life 20,000 hrs	Keystone ±45°(V) / ±30°(H)	Connectivity HDMI in x1, SDI x1 HDBaseT x1 VGA in x1, VGA out x1 5BNC x1, DVI-D x1 RS-232C x1, RJ45 x1 Stereo Mini Jack in x3 Stereo Mini Jack out x1 USB Type-A & Bx1
Network Wireless optional (ELPAP10)	Power Consumption 908W / 597W	Weight 21.9 kg



HDBaseT


Flexible
Installation

Edge
Blending

EB-L1755UNL



Brightness 15,000lm	Resolution WUXGA	Contrast >2,500,000:1
Laser Source Life 20,000 hrs	Keystone ±45°(V) / ±30°(H)	Connectivity HDMI in x1 HDBaseT x1 VGA in x1, VGA out x1 5BNC x1, DVI-D x1 RS-232C x1, RJ45 x1 Stereo Mini Jack in x3 Stereo Mini Jack out x1 USB Type-A & Bx1
Network Wireless optional (ELPAP10)	Power Consumption 1024W / 647W	Weight 22.3 kg



HDBaseT

Edge
Blending

Flexible
Installation

3LCD PROJECTOR

Large Venues

EB-L20000UNL



Brightness 20,000lm	Resolution WUXGA	Contrast >2,500,000:1
Laser Source Life 20,000 hrs	Keystone ±44°(V) / ±30°(H)	Connectivity HDBaseT x1, RS-232C x1 VGA in x1, VGA out x1 BNC in x1, SDI in x1 Expansion Board ELPIF01 (HDMI in x1, DVI-D x1, DC-Out x1) Expansion Board ELPIF03 (Display port in x2) BNC out x1 RJ-45 x 1 (etherCON) USB Type-A & B x1
Network Built-in	Power Consumption 1860W / 1123W	Weight 49.6 kg



HDBaseT



Flexible
Installation



Edge
Blending


EB-L30000UNL



Brightness 30,000lm	Resolution WUXGA	Contrast >2,500,000:1
Laser Source Life 20,000 hrs	Keystone ±45°(V) / ±30°(H)	Connectivity HDBaseT x1 (HDCP 2.2) VGA in x1, VGA out x1 SDI in x1, 5BNC x1 DVI-D x1 (Single link, HDCP 1.4) HDMI in x1 (HDCP 2.2) SDI out x1, RS-232C x1 Remote x1, RJ45 x1 USB Type-A & B x1
Network Optional	Power Consumption 2325W / 1511W	Weight 69.9 kg



HDBaseT



Flexible
Installation



Edge
Blending

3LCD PROJECTOR

Home Entertainment Projectors



EpiqVision EF-11

Brightness 1,000lm	Resolution Full HD (1080p)	Contrast > 2,500,000:1
Weight Approx 1.2 kg	Keystone ±34° [V] / ±40° [H]	Connectivity HDMI x1 (HDCP 1.4) Stereo Mini Jack Out x1 USB Type-A & Type-B x1



Auto Vertical Keystone



Miracast



EpiqVision EF-12

Brightness 1,000lm	Resolution Full HD (1080p)	Contrast > 2,500,000:1
Weight Approx 2.1 kg	Keystone ±34° [V] / ±40° [H]	Connectivity HDMI x1 (HDCP 1.4) Stereo Mini Jack Out x1 USB Type-A & Type-B x1



AndroidTV



Miracast

sound by YAMAHA

3LCD PROJECTOR

Home Entertainment Projectors




EpiqVision EF-100B ATV

Brightness 2,000lm	Resolution WXGA	Contrast 2,500,000:1
Weight Approx 2.8 kg	Keystone $\pm 45^\circ$ (V) / $\pm 40^\circ$ (H)	Connectivity HDMI x1



AndroidTV



Lens Shift



EpiqVision EF-100W ATV

Brightness 2,000lm	Resolution WXGA	Contrast 2,500,000:1
Weight Approx 2.8 kg	Keystone $\pm 45^\circ$ (V) / $\pm 40^\circ$ (H)	Connectivity HDMI x1



AndroidTV



Lens Shift

3LCD PROJECTOR

EpiqVision Ultra EH-LS300B



Brightness 3,600lm	Resolution Full HD (1080p)	Contrast > 2,500,000:1
Laser Light Source 20,000 hrs	Keystone 8 point arc correction	Connectivity HDMI x2 (SMF, HDMI2=ARC) Audio Out (Bluetooth & Optical Out) USB Type-A x 1 USB Type-B Mini x1
Wireless Built-in	Power Consumption 278 W	Weight & Dimension Approx. 7.2 kg 400x467x133 mm



sound by YAMAHA

Chromecast built-in

EpiqVision Ultra EH-LS500B



Brightness 4,000lm	Resolution Full HD (1080p)	Contrast > 2,500,000:1
Laser Light Source 20,000 hrs	Keystone $\pm 3^\circ$ (V) / $\pm 3^\circ$ (H)	Connectivity HDMI x3 (HDCP 2.2) RS-232C x 1, RJ45 x 1 USB Type-A x 1 USB Type-B Mini x1
Wireless ELPAP10 (Optional)	Power Consumption 296W / 227W	Dimension 458 x 209.5 x 375 mm



Chromecast built-in

3LCD PROJECTOR

Home Entertainment

3LCD PROJECTOR

EH-TW750



Brightness 3,400lm	Resolution Full HD (1080p)	Contrast 16,000:1
Light Source Life 6,000 hrs / 12,000 hrs	Keystone ±30° (V) / ±30° (H)	Connectivity VGA x1, HDMI x2 Wireless (Built-in)
Max Screen Size 300 inch	Power Consumption 327 W / 225 W	Weight & Dimension Approx. 2.8 kg 302 x 252 x 87 mm

Full HD
1080p



Auto Vertical
Keystone

EH-TW5820



Brightness 2,700lm	Resolution Full HD (1080p)	Contrast 70,000:1
Light Source Life 4,500 hrs / 7,500 hrs	Keystone ±30° (V) / ±30° (H)	Connectivity HDMI 1.4 x1, USB Type-A x 1
Max Screen Size 300 inch	Power Consumption 296W / 227W	Weight & Dimension Approx 3.8 kg 308 x 309 x 107 mm

3D

Full HD
1080p



Vertical & Horizontal
Keystone Adjuster



AndroidTV


Chromecast built-in

3LCD PROJECTOR


EH-TW7000



Brightness 3,000lm	Resolution Full HD (1080p)	Contrast 40,000:1
Light Source Life 3,500 hrs / 5,000 hrs	Keystone ±30° (V) / ±30° (H)	Connectivity HDMI x 2 (HDCP 2.2) Stereo Mini Jack Out x 1 USB Type-A x 2 Type-B Mini x 1 Wireless ELPAP10 (Optional)
Max Screen Size 500 inch	Power Consumption 366W / 280W	Weight & Dimension Approx 6.6 kg 410 x 310 x 157 mm



Vertical & Horizontal
Keystone Adjuster



HDMI

EH-TW9400



Brightness 2,600lm	Resolution Full HD (1080p)	Contrast 1,200,000:1
Light Source Life 3,500 hrs / 5,000 hrs	Keystone ±30° (V)	Connectivity HDMI x 2 (HDCP 2.2) Stereo Mini Jack Out x 1 USB Type-A x 2 Type-B Mini x 1 Wireless ELPAP10 (Optional)
Max Screen Size 300 inch	Power Consumption 355W / 271W	Weight & Dimension Approx. 11.2 kg 520 x 170 x 450 mm





Lens Shift




HEAD OFFICE

Ruko Sampoerna Square No. 12
Jl. Raya Hankam, Jatisampurna, Kranggan - Bekasi 17433
Telp. (021) 28672601 | info@solusisuksespratama.co.id
www.solusisuksespratama.co.id

f in  Solusi Sukses Pratama

 [solusisuksespratama](https://www.instagram.com/solusisuksespratama)

 [solusisuksesp](https://twitter.com/solusisuksesp)

 0812 1111 2947